

SECRET

Approved For Release 2003/05/14 : CIA-RDP78B05171A000100020021-4

NPIC/TSSG/DED-1637-69
2 June 1969

MEMORANDUM FOR : Chief, Technical Services & Support Group *lwe*
SUBJECT : Analysis of the Probability of Retaining the High Precision Stereo Comparator at []

25X1

25X1 1. Per your request the Development & Engineering Division has performed a cursory analysis to determine the feasibility of leaving the comparator at [] for operation and utilization. Initial investigation would indicate that this would not be a feasible approach because of the prohibitive costs and complications involved.

2. These costs and complications lay in the following areas:

25X1 a. Security - The [] area is unacceptable for handling TKH system material. The whole comparator area would have to be made a TKH vault with full-time security personnel assigned.

b. Due to the specialized nature of the computer programs involved, the instrument has to operate on-line to NPIC's [] 494 computers. We would have the continuing expense of the data link and because of the nature of the information it would have to be encoded and decoded at both ends.

25X1

25X1 c. Personnel - It would require one or two people assigned to the [] location on a full-time basis. One operator and a back-up for emergencies.

25X1 d. Site Preparation - The current location of the comparator is unacceptable for operational usage. It would require an investment in excess of [] to bring that site up to our required clean room standards. To date, [] has already been allocated to GSA for preparations at [] - of course, some of this would be recoverable.

25X1
25X1

e. All of the film to be measured would have to be shipped to the West Coast. Because of the classified nature of this material, shipping costs and courier expenses could become prohibitive.

Declass Review by
NIMA/DOD

Approved For Release 2003/05/14 : CIA-RDP78B05171A000100020021-4

SECRET

Excluded from automatic
downgrading and
declassification

SECRET

Approved For Release 2003/05/14 : CIA-RDP78B05171A000100020021-4

25X1 SUBJECT : Analysis of the Probability of Retaining the High Precision Stereo Comparator at []

f. Original Negative - The comparator was designed to use the original negative where the sophistication of the measurement requirement makes it necessary. The Original Negative is needed full time at NPIC for reproduction purposes and there is a distinct risk in transporting the unique copy back and forth across the country.

25X1 3. There are some advantages to the proposal in that the comparator would be maintained in an area in close proximity to competent maintenance personnel. However, maintenance cost would not be significantly reduced except for savings in transportation and per diem. As a consequence, it might be more feasible to maintain an [] representative in Washington rather than a NPIC representative in San Francisco. The risks of shipping the comparator from the West Coast to the East Coast have been somewhat exaggerated; since precise laboratory equipment, of equal degree of complexity, is often shipped throughout the country by Air Van. The crucial portion of the comparator is the Optical Bridge and this has to be shipped from [] to San Francisco and there would be no more risk in shipping it from San Francisco to Washington than there is inherent in the [] trip. Barring a wreck or a crash, the possibility of significant damage during shipment is low.

25X1 4. It is recommended that the comparator be installed in []
25X1 [] as originally anticipated and, if maintenance becomes a problem, that we provide a full time maintenance man at NPIC -- whether he be [] or
25X1 Agency. This should prove significantly less expensive in the long run.

[]
Chief, Development & Engineering Division

Distribution:

Original - Addressee
2 - TSSG/DED

Approved For Release 2003/05/14 : CIA-RDP78B05171A000100020021-4

SECRET

FROM			DATE
Development & Engineering Division			2 June 1969
TO	INITIALS	DATE	REMARKS
DIRECTOR			<p>Hank - a report on the desirability of leaving the [] HPSC in []</p>
DEP/DIRECTOR			
EXEC/DIRECTOR	1	HU 6/11	
SPECIAL ASST	1	ofc	
ASST TO DIR			
ASST TO DEP/DIR			
C/ESD/TSSG	1	HU 6/11	
CH/PPBS	3	6/16	
DEP CH/PPBS		6/11	
EO/PPBS			
CH/IEG			<p>To 3 for info. To 4. Thanks. I'll abide by higher wisdom. I'm also pleased to have the guarantee that shipment will be unmarred by mishap! HU</p>
DEP CH/IEG			
EO/IEG			
CH/PSG			
DEP CH/PSG			
EO/PSG			
CH/TSSG	A	JUL 6/10	
DEP CH/TSSG			
EO/TSSG	X	2/4 6/10	
CH/SSD/TSSG	6	WIC 6/18	
PERSONNEL			<p>To 6: Make sure [] []</p>
LOGISTICS			
TRAINING			
RECORDS MGT			
SECURITY			
FINANCE			
EO/TSSG	5	6/16	
DIR/TAS/DDI			
CH/DIAXX-4			
CH/DIAAP-9			

25X1

25X1

25X1

25X1